198.




More Measurements: Expanding RIPE Atlas Anchors

Vesna Manojlovic Measurements Community Building

MORE-IP, May 2014, Amsterdam

RIPE Atlas Deployment

RIPE Atlas | 2



Vesna Manojlovic - MORE-IP - May 2014, Amsterdam



RIPE Atlas

- RIPE Atlas is a global network for active measurements
- Hardware probes measure Internet connectivity and reachability
- RIPE Atlas provides an unprecedented understanding of the state of the Internet in real time

https://atlas.ripe.net



Vesna Manojlovic - MORE-IP - May 2014, Amsterdam

Participation and Benefits

- Anyone can become a RIPE Atlas probe host
 - https://atlas.ripe.net/apply
- Built-in measurements performed by RIPE NCC
 - Data available to everyone
 - Maps, data from public probes, API to download raw data
- Major personal and operational benefit: See your network from the outside!

Probes Photos

RIPE Atlas | 5




Vesna Manojlovic - MORE-IP - May 2014, Amsterdam




Success Stories

RIPE Atlas | 6







Vesna Manojlovic - RIPE 68 - May 2014 Warsaw



More Use Cases

- Investigating problems of slow servers:
 - http://engineering.freeagent.com/2014/01/24/atlas-probes/
- Measuring packet loss to determine congested networks
- Selective blackholing (examples based on RIPE Atlas)
 - <u>https://ripe68.ripe.net/presentations/176-</u>
 <u>RIPE68 JSnijders DDoS Damage Control.pdf</u>
- Anycast analysis:
 - <u>https://labs.ripe.net/Members/stephane_bortzmeyer/the-many-instances-of-the-l-</u> <u>root-name-server</u>



Vesna Manojlovic - MORE-IP - May 2014, Amsterdam

RIPE Atlas in Numbers: May 2014


- 5,600+ probes connected
- 8,000+ active users this year
- 5,000+ built-in measurements daily
- 5,000+ user-defined measurements daily
 - Four types of user-defined measurements available to probe hosts and RIPE NCC members: ping, traceroute, DNS, SSL
- Goal by end 2014:
 - 10,000 connected probes





Country	Probes
United States	876
Germany	846
Russian Federation	726
United Kingdom	600
Netherlands	475
France	418
Ukraine	369
Belgium	194
Italy	179
Czech Republic	169


Growth Graphs

RIPE Atlas | 9









Vesna Manojlovic - RIPE 68 - May 2014 Warsaw




)3:10ff 198 b8:bf98:308 98 51 100 b8::109 Of 198.5

RIPE Atlas Anchors



RIPE Atlas Anchors

RIPE Atlas | 11



Vesna Manojlovic - MORE-IP - May 2014, Amsterdam




RIPE Atlas Anchors

- Anchors: well-known targets and powerful probes
 - Regional baseline & "future history"
- Anchoring measurements
 - Measurements between anchors
 - 200 probes targeting each anchor with measurements
 - Each probe measures 4-5 anchors
- Vantage points for new DNSMON service
- 58+ RIPE Atlas anchors
 - goal for 2014: 100 active anchors worldwide








Reasons to Celebrate...


RIPE Atlas | 14



Vesna Manojlovic - RIPE 68 - May 2014 Warsaw








Vesna Manojlovic - MORE-IP - May 2014, Amsterdam

Mapping an Anchor

- Exploring the potential of **RIPE** Atlas for mapping the packet layer topology
- Using the example of RIPE Atlas Anchor at VIX (Vienna)

• Pretty graphs, useful info

https://labs.ripe.net/Members/dfk/map-a-ripe-atlas-anchor





Become a host of an Anchor!

• Benefits:

- Measuring impact of anycast services deployment
- Troubleshooting connectivity quirkiness
- Mostly deployed at IXPs, ccTLDs, larger data centers
- Requirements
 - Host are responsible for the hardware: Soekris box
 - IPv4, and native IPv6 connectivity
 - 10 MB bandwidth (currently 200 kB in use, on average)
 - Needs unfiltered access (placed in front of the firewall)

https://atlas.ripe.net/about/anchors/

03:10ff 198 b8:bf98:308 98.51.100. b8::109 FOF 198.5


Get Involved



Join the RIPE Atlas Community


Community Information

Find out more about the RIPE Atlas community, their contributions, and the hosts who stand out in the RIPE Atlas network.










Vesna Manojlovic - RIPE 68 - May 2014 Warsaw





Vesna Manojlovic - RIPE 68 - May 2014 Warsaw



We are Grateful to our Sponsors!











Cable&Wireless Worldwide











Vesna Manojlovic - MORE-IP - May 2014, Amsterdam



RIPE Atlas | 23

Roadmap for the Future

RIPE Atlas | 24


	Planned			In Progress			
	► 1	Additional features for RIPE Atlas anchors		÷	Improve procedure for probe distribution by RIPE Atlas ambassadors		
	►	WiFi Measurements					
		Share my probe with a		 Regularly publish metadata 			
	I ▶	custom-made group		Þ	Regularly publish Names		
		Sharing credits with colleagues		Þ	Improved Measurements Pages		
		Restarting previous measurements		Þ	Improve number of connected probes		
Requested Support fo	►	Vantage points dropping out of existing user-defined measurements		Þ	Increase number of active RIPE Atlas anchors		Delivered Latest re
"Time Tra		measurements		►	Improve IPv6 probe selection		Outsour
More controls for measurement distribution E 68 - May 201Sharesmy probe with a custom-made group			 Regularly publish metadata Regularly publish Names 	R	RIPE Atl		

Connect with RIPE Atlas

- RIPE Atlas website: <u>https://atlas.ripe.net</u>
- Mailing list for active users: ripe-atlas@ripe.net
- Articles on RIPE Labs: https://labs.ripe.net/atlas
- Questions: atlas@ripe.net
- Twitter: @RIPE_Atlas and #RIPEAtlas




Questions?



)3:10ff 19 F08.308 68::10 Of 198.-

Additional Information






RIPE68, May 2014, Warsaw




Growth in Users

RIPE Atlas | 29



RIPE68, May 2014, Warsaw






Vesna Manojlovic - RIPE 68 - May 2014 Warsaw



Probes Distributed by Ambassadors







)3:10ff 198 b8:bf98:308 98.51.100 b8::109 Of 198.5

RIPE Atlas Use Cases



Integration with Monitoring Systems

- Benefits of using RIPE Atlas for monitoring
 - Doing pings from 1,000 out of 5,000+ probes around the world
 - Looking at your network from the outside
 - Plug into your existing practices
- Three easy steps for automatic alarms:
 - 1. Create a RIPE Atlas ping measurement
 - 2. Go to "status checks" URL
 - 3. Add your alerts in Icinga or Nagios





1. How to Schedule a Measurement

- General case applicable for ping too!
- Log in to atlas.ripe.net
- Go to "My Atlas" and "Measurements"
- Choose "New Measurement" or "One-off"
 - Most measurements are periodic & last a long time
 - Choose type, target, frequency, # of probes, region...
 - You will spend credits (next slides)
- More details: <u>https://atlas.ripe.net/doc/udm</u>
- Or use the API:

https://atlas.ripe.net/docs/measurement-creation-api/

1.5 Credit System

- By hosting a probe, you earn credits
- To perform measurements, you spend credits
 - pings cost 10 credits, traceroutes cost 20, etc.
- Credit system introduced to ensure fairness and protect system from overload
- Extra credits can be earned by:
 - Being a RIPE NCC member
 - Hosting a RIPE Atlas anchor
 - Sponsoring multiple probes
- More details: https://atlas.ripe.net/doc/credits

2. Creating Status Checks

- Status Checks work via RIPE Atlas' <u>RESTful API</u>
 - https://atlas.ripe.net/api/v1/status-checks/MEASUREMENT_ID/
- You define the alert parameters, for example:
 - Threshold for the % of probes that successfully received a reply
 - How many most recent measurements to base the status on
 - What is the maximum packet loss acceptable
- Documentation:
 - https://atlas.ripe.net/docs/status-checks/




3. Icinga Examples

- Community of operators contributed configuration code!
 - Making use of the built-in "check_http" plugin
- GitHub repo examples
 - <u>https://github.com/RIPE-Atlas-Community/ripe-atlas-community-</u> <u>contrib/blob/master/scripts for nagios icinga alerts</u>
- Post on Icinga blog
 - <u>https://www.icinga.org/2014/03/05/monitoring-ripe-atlas-status-</u> with-icinga-2/



Monitoring for DNS TLD operators

RIPE Atlas | 38



Vesna Manojlovic - RIPE 68 - May 2014 Warsaw



Monitoring DNS

- "Old" DNSMON service migrated to RIPE Atlas
- RIPE Atlas anchors used as vantage points
 - Replacing TTM boxes
- Currently monitoring small selection of zones
 - root name servers
 - 30 ccTLDs and few gTLDs
- New zones will be added next year
- Give us feedback about DNS alerts!
- <u>https://labs.ripe.net/Members/fatemah_mafi/an-</u> updated-dns-monitoring-service


Vesna Manojlovic - MORE-IP - May 2014, Amsterdam

Success Stories

 IXP: Measuring the effect of installing L-root in Belgrade / SOX

• DNS: Looking for most popular instances of .FR anycast servers


 Operators: investigating network disruptions http://engineering.freeagent.com/2014/01/24/atlas-probes/












Visualization: Seismograph

• Seismograph

- Multiple ping measurements in one view
- Stacked chart and interactive control panel





Visualization: Zoomable ping graph

- Zoomable ping graph
 - Replacing multiple RRDs graphs: zoom in/out in time, in the same graph
 - Easier visualisation of an event's details
 - Selection of RTT class (max, min, average)



Vesna Manojlovic - MORE-IP - May 2014, Amsterdam



The RIPE Atlas Community GitHub

- If you are a programmer: contribute your code
 - https://github.com/RIPE-Atlas-Community/
- If you are researcher, look & contribute here:
 - <u>https://github.com/RIPE-Atlas-Community/RIPE-Atlas-</u> <u>data-analysis</u>
- Measurements source code available:
 - <u>https://labs.ripe.net/Members/philip_homburg/ripe-atlas-</u> <u>measurements-source-code</u>
- New! Parsing library:
 - <u>https://github.com/RIPE-NCC/ripe.atlas.sagan</u>



RIPF Atlas 44

Use Cases: Links

- https://labs.ripe.net/atlas/user-experiences/userviews-and-use-cases
- <u>https://labs.ripe.net/atlas/user-experiences/</u> presentations-tutorials-and-videos
- <u>https://labs.ripe.net/atlas/user-experiences/</u> <u>scientific-papers</u>



Become an Ambassador

- We're looking for volunteers to help us:
 - Distribute probes
 - Give workshops, tutorials and promote RIPE Atlas
- To become an ambassador:
 - <u>https://atlas.ripe.net/get-involved/become-a-ripe-atlas-</u> <u>ambassador/</u>
 - email mcb@ripe.net to find out how to obtain some probes
- Or become a sponsor:

Vesna Manojlovic - MORE-IP - May 2014, Amsterdam

- https://atlas.ripe.net/get-involved/become-a-sponsor/



Contact RIPE Atlas

- <u>https://atlas.ripe.net</u>
- Apply for a probe: <u>https://atlas.ripe.net/apply</u>
- Apply for an anchor: <u>https://atlas.ripe.net/anchors/apply/</u>
- Mailing list for active users: ripe-atlas@ripe.net
- <u>https://atlas.ripe.net/get-involved/community/</u>
- Articles & updates on RIPE Labs: <u>https://labs.ripe.net/atlas</u>
- Roadmap: <u>http://roadmap.ripe.net/ripe-atlas/</u>
- Questions: atlas@ripe.net
- Twitter: @RIPE_Atlas and #RIPEAtlas